



Stretch Film Wrappers



Australian designed & manufactured

Easy to use. Cost effective.

MADE IN
AUSTRALIA

safetech.com.au

Safety and Productivity by Design

The Lo Wrapper

Low Profile for Hand Pallet Trucks

Benefits of a Safetech Lo-Wrapper include:

- Available in Manual or Semi-Automatic models
- Reduced work effort and risk of injury when wrapping pallets
- Consistent wrap patterns guaranteed
- 26mm ultra low profile turntable provides easy hand pallet truck access
- Turntable accepts a standard pallet
- 2000kg capacity
- Improved mechanical stretch provides constant tension independent of roll diameter
- Quick release lever to disengage film tension

The semi auto Lo-Wrapper has these additional features

- Set and forget 5 pattern memory
- No manual effort required
- Cycle counter
- Standard 2600mm wrap height

ULTRA LOW PROFILE
SAFETECH PALDISC
TURNTABLE

FOLD DOWN MAST
FOR STORAGE OR
TRANSPORTATION

RAMP FOR HAND
PALLET TRUCK ACCESS

Specifications

Series 3 Lo Wrapper

Power	240V single phase
Rotation Speed	9 rpm
Load Capacity	2000 kg
Turntable Height	26mm

Options:

- Soft start/stop for light or heavy loads
- Additional ramps (one is supplied standard)
- Relocation frame for easy relocation of the Lo-wrapper
- Three-phase motor and low-voltage controls
- Kit to allow hand rolls to be used
- Extended Base (600mm longer)

Semi - Auto

Shipping Dimensions	3000mm long
	1300mm wide
(with mast lowered)	670mm high
Mast Height	2670mm
Wrapping Height	2600mm

Manual

Shipping Dimensions	3000mm long
	1300mm wide
(with mast lowered)	650mm high
Mast Height	2420mm
Wrapping Height	2175mm

The Easy Wrapper

Safe, Economical & Easy To Use

Eliminate the need to wrap by hand

Easy Wrapper is an efficient and durable wrapper at an affordable price.

Benefits and features of an Easy Wrapper

- Available in Manual or Semi-Automatic
- Significantly reduced risk of injury when applying stretch film wrap
- Powered turntable eliminates the need to walk around the load to apply the film
- Galvanised base withstands corrosion
- Base incorporates fork tyne sockets and the mast folds down for easy relocation
- Suitable for use in harsh conditions
- Large 1400mm diameter chequerplate turntable
- Improved mechanical stretch provides constant tension independent of roll diameter
- Quick release lever to disengage film tension.



Specifications

Series 3 Easy Wrapper

Power	240V single phase
Rotation Speed	9 rpm
Load Capacity	2000 kg
Turntable Height	110mm

Options:

- Soft start or variable speed
- Three-phase motor and low-voltage controls
- Kit to allow hand rolls to be used
- Extended Base (600mm longer)

Semi - Auto

Shipping Dimensions	3000mm long
	1400mm wide
(with mast lowered)	670mm high
Mast Height	2710mm
Wrapping Height	2600mm

Manual

Shipping Dimensions	3000mm long
	1400mm wide
(with mast lowered)	450mm high
Mast Height	2465mm
Wrapping Height	2175mm

The Easy Wrapper

Semi Automatic Features

Enhance productivity by specifying the semi-automatic Lo or Easy Wrapper. After tying the film to the pallet the operator can walk away while the wrapping is completed automatically.

Just cut the film and unload!

Semi Automatic Features & Options

- Standard 2600 wrap height
- Simple touch pad controls
- Turntable return to start
- Set and forget 5 pattern memory
- Half, full and top sheet cycles
- Cycle Counter
- Photo eye available for pallet height detection
- Optional 3200 mm extended mast



More Information

MATERIALS HANDLING

Safetech design and manufacture a wide range of Materials handling products to suit a variety of needs, including static, mobile and heavy capacity scissor lifts.

Our range of brochures have all the critical information you need to choose the right lifting solution for your business.



Service & Support

Safetech Customer Care delivers a network of trained service technicians backed by the engineering team that designed and manufactured your equipment.

Safetech Customer Care provides all of this and more!

